

REQUEST FOR PROPOSALS
COUNTY OF MERCER
ELECTRONIC DOOR ACCESS CONTROL SYSTEM FOR OFFICE BUILDINGS

General Description:

Upgrade or replace two existing electronic systems controlling magnetic door lock/unlock systems on approximately 40 doors in four office buildings. State expansion limits.

Magnetic door locks are in place on most doors.

Quote cost to supply additional hardware after surveying buildings. Some interior doors may require strike and latch hardware; quote cost per unit.

System must be Cloud Based, accessible by system manager using App and or Browser.

Must be a networked system and not require a separate Door Access Control Panel.

Door pass cards or fobs to be issued centrally, with software monitoring of date and time open/close, and related analysis and reporting.

Stipulate warranty terms.

Readers must accept the following credential types:

125 kHz (FSK modulation)

13.56MHz

Bluetooth® Low Energy Supported (4.1 and later)

Mifare® Classic, Ultralight, and Mifare Plus

iClass (CSN)

ISO14443A & B

System must integrate with Milestone Video Management System.

RFP is for purchase only. System must be installable by buyer with no extra cost and not require 3rd party installation.

For site tour and to receive mandatory specification details, contact Keith Jenkins, MIS Director 724-662-3800 x 2306 KJenkins@mcc.co.mercer.pa.us.